

SIMERRAZZO™

SIMULATED TERRAZZO FLOORING SYSTEMS




DESCRIPTION

Resinwerks Simerrazzo™ Flooring offers a vibrant and contemporary finish that closely resembles polished terrazzo flooring. This system is ideal for situations where a value-engineered equivalent to a terrazzo finish is required. Simerrazzo from Resinwerks may be installed for reduced expense and within shorter timeframes when compared to traditional polished terrazzo flooring.

Simerrazzo systems are available in six designer-curated blends with the capability to easily adjust colors and sheen. Blends are infinitely customizable and can incorporate a host of reflective and translucent aggregates to simulate a wide range of decorative terrazzo finishes.

All products used within this system are fully compliant with the California Department of Health Air Quality version 1.2 for VOC emissions and are eligible for the following green building certifications:

- › USGBC LEED Version 4/4.1 BD&C, ID&C, Residential BD&C Multifamily
- › the WELL Building Standard, WELL V2, Feature X06
- › ANSI/GBI 01-2019 Green Globes Assessment Protocol



*custom finishes available


SIMULATED | POLISHED TERRAZZO FLOORING

SYSTEM DESIGN

The Simerrazzo Flooring System from Resinwerks can be built in a variety of ways to suit both the requirements of the environment and the parameters of the installation. In general, the system will always consist of a primer, specialized “Simerrazzo” aggregate broadcast, grout coat, build coat, and topcoat.

Key to the Simerrazzo system is the Resinwerks zero-VOC Rapid H2O EP™ broadcast coat. This material features unique “flat-flake” technology that pulls decorative broadcast media to the substrate, replicating the look of actual polished terrazzo while highlighting reflective metallic and translucent flakes.

The system is then grouted with a refined 100% solids water-clear resin and finished with a hi-wear urethane in either a semi-gloss or satin finish. In situations requiring protection from elevated moisture vapor emission rates, Resinwerks 100% solids Vapor Barrier Epoxy should be used as a primer.



APPLICATIONS:

- › Schools & Universities
- › Healthcare
- › Retail
- › Show rooms
- › Residential
- › Stadiums

Resinwerks
Simerrazzo™ Flooring

Original
Terrazzo Flooring



ABOUT US

Resinwerks manufactures sustainable industrial coatings that offer superior performance, quality and value. Supported by a team of veteran resinous flooring professionals, we are committed to delivering the very best products to facility owners and our trusted contractor partners. Our products are manufactured domestically and conveniently shipped direct.

SUSTAINABLE PRODUCTS

Our product line was designed from the ground up to focus on the latest in environmentally conscious resins and additives. In addition, we have largely substituted water for harsh solvents, making our products safer to use and better for our environment. For our clients this means less hazardous emissions and superior long-term performance.


PRODUCT & SPECIFICATION SUPPORT

For assistance designing your next project, ordering samples, or securing an installation quote, please contact:

Jillian Duclos
Business Development Manager

jillian@resinwerks.com
720-484-5160

Midwest factory as well as Western and Eastern US fulfillment centers for convenient 1-2 day fulfillment Nationwide.



www.resinwerks.com

(720) 484-5160
Denver, CO 80229